

## 8. REFERENCES

- AIHA. 2015. Current ERPG Values (2015). Fairfax, VA: American Industrial Hygiene Association. <https://www.aiha.org/get-involved/AIHAGuidelineFoundation/EmergencyResponsePlanningGuidelines/Documents/2015%20ERPG%20Levels.pdf>. March 22, 2016.
- Akesson A, Lundh T, Vahter M, et al. 2005. Tubular and glomerular kidney effects in Swedish women with low environmental cadmium exposure. *Environ Health Perspect* 113(11):1627-1631. 10.1289/ehp.8033.
- Akesson A, Stal P, Vahter M. 2000. Phlebotomy increases cadmium uptake in hemochromatosis. *Environ Health Perspect* 108:289-291.
- Akhavan J. 2004. Explosives and propellants. In: Kirk-Othmer encyclopedia of chemical technology. Vol. 10. 719-744. <http://onlinelibrary.wiley.com/doi/10.1002/0471238961.0524161212091404.a01.pub2/pdf>. March 30, 2017.
- Al Bakheet SA, Attafi IM, Maayah ZH, et al. 2013. Effect of long-term human exposure to environmental heavy metals on the expression of detoxification and DNA repair genes. *Environ Pollut* 181:226-232.
- Alarcon WA. 2015. Summary of notifiable noninfectious conditions and disease outbreaks: Elevated blood lead levels among employed adults - United States, 1994-2012. *MMWR Morb Mortal Wkly Rep* 62(54):52-75. 10.15585/mmwr.mm6254a4.
- Alessio L. 1988. Relationship between "chelatable lead" and the indicators of exposure and effect in current and past occupational life. *Sci Total Environ* 71:293-299.
- Alessio L, Bertazzi PA, Monelli O, et al. 1976. Free erythrocyte protoporphyrin as an indicator of the biological effect of lead in adult males. *Int Arch Occup Environ Health* 37:89-105.
- Alexander BH, Checkoway H, Costa-Mallen P, et al. 1998b. Interaction of blood lead and  $\delta$ -aminolevulinic acid dehydratase genotype on markers of heme synthesis and sperm production in lead smelter workers. *Environ Health Perspect* 106:213-216.
- Alexander BH, Checkoway H, Faustman EM, et al. 1998a. Contrasting associations of blood and semen lead concentrations with semen quality among lead smelter workers. *Am J Ind Med* 34:464-469.
- Alexander FW, Clayton BE, Delves HT. 1974. Mineral and trace-metal balances in children receiving normal and synthetic diets. *Q J Med* 169:89-111.
- Al-Hakkak ZS, Hamamy HA, Murad AM, et al. 1986. Chromosome aberrations in workers at a storage battery plant in Iraq. *Mutat Res Genet Toxicol* 171(1):53-60.
- Ali Z, Ulrik CS. 2013. Obesity and asthma: A coincidence or a causal relationship? A systematic review. *Respir Med* 107:1287-1300.
- Aligne CA, Auinger P, Byrd RS, et al. 2000. Risk factors for pediatric asthma: Contributions of poverty, race, and urban residence. *Am J Respir Crit Care Med* 162(3 Pt. 1):873-877.
- Al-Modhefer AJ, Bradbury MWB, Simons TJB. 1991. Observations on the chemical nature of lead in human blood serum. *Clin Sci* 81:823-829.
- Al-Neamy FR, Almehdi AM, Alwash R, et al. 2001. Occupational lead exposure and amino acid profiles and liver function tests in industrial workers. *Int J Environ Health Res* 11(2):181-188.
- Alomran AH, Shleamoon MN. 1988. The influence of chronic lead exposure on lymphocyte proliferative response and immunoglobulin levels in storage battery workers. *J Biol Sci* 19(3):575-585.
- Al-Saleh I, Shinwari N, Mashhour A, et al. 2005. Is lead considered as a risk factor for high blood pressure during menopause period among Saudi women? *Int J Hyg Environ Health* 208(5):341-356.
- Al-Saleh I, Shinwari N, Mashhour A, et al. 2014. Birth outcome measures and maternal exposure to heavy metals (lead, cadmium and mercury) in Saudi Arabian population. *Int J Hyg Environ Health* 217(2-3):205-218. 10.1016/j.ijheh.2013.04.009.
- Amaral JH, Rezende VB, Quintana SM, et al. 2010. The relationship between blood and serum lead levels in peripartum women and their respective umbilical cords. *Basic Clin Pharmacol Toxicol* 107(6):971-975. 10.1111/j.1742-7843.2010.00616.x.

## 8. REFERENCES

- Amato MS, Magzamen S, Imm P, et al. 2013. Early lead exposure (<3 years old) prospectively predicts fourth grade school suspension in Milwaukee, Wisconsin (USA). *Environ Res* 126:60-65. 10.1016/j.envres.2013.07.008.
- Ames SK, Ellis KJ, Gunn SK, et al. 1999. Vitamin D receptor gene FokI polymorphism predicts calcium absorption and bone mineral density in children. *J Bone Miner Res* 14(5):740-746.
- Amitai Y, Graef JW, Brown MJ, et al. 1987. Hazards of 'deleading' homes of children with lead poisoning. *Am J Dis Child* 141:758-760.
- Anetor J, Adeniyi F. 1997. Decreased immune status in Nigerian workers occupationally exposed to lead. *Afr J Med Sci* 27(3-4):169-172.
- Angelova VR, Ivanova RV, Todorov JM, et al. 2010. Lead, cadmium, zinc, and copper bioavailability in the soil-plant-animal system in a polluted area. *Sci World J* 10:273-285. 10.1100/tsw.2010.33.
- Angle CR, Manton WI, Stanek KL. 1995. Stable isotope identification of lead sources in preschool children - The Omaha Study. *Clin Toxicol* 33(6):657-662.
- Angle CR, McIntire MS, Swanson MS, et al. 1982. Erythrocyte nucleotides in children -- Increased blood lead and cytidine triphosphate. *Pediatr Res* 16:331-334.
- Annesi-Maesano I, Pollitt R, King G, et al. 2003. *In utero* exposure to lead and cord blood total IgE. Is there a connection? *Allergy* 58(7):589-594.
- Anttila A, Heikkilä P, Nykyri E, et al. 1996. Risk of nervous system cancer among workers exposed to lead. *J Occup Environ Med* 38(2):131-136.
- Anttila A, Heikkilä P, Pukkala E, et al. 1995. Excess lung cancer among workers exposed to lead. *Scand J Work Environ Health* 21:460-469.
- Anwar WA, Kamal AA. 1988. Cytogenetic effects in a group of traffic policemen in Cairo. *Mutat Res* 208(3-4):225-231.
- Aoki Y, Brody DJ, Flegal KM, et al. 2016. Blood lead and other metal biomarkers as risk factors for cardiovascular disease mortality. *Medicine* 95(1):e2223. 10.1097/md.0000000000002223.
- Apostoli P, Maranelli G, Cas LD, et al. 1990. Blood lead and blood pressure: A cross sectional study in a general population group. *Cardiologia* 35(7):597-603.
- Apostolou A, Garcia-Esquinas E, Fadrowski JJ, et al. 2012. Secondhand tobacco smoke: A source of lead exposure in US children and adolescents. *Am J Public Health* 102(20):12. 10.2105/AJPH.2011.300161.
- Araki S, Aono H, Yokoyama K, et al. 1986. Filterable plasma concentration, glomerular filtration, tubular balance, and renal clearance of heavy metals and organic substances in metal workers. *Arch Environ Health* 41(4):216-221.
- Araki S, Honma T, Yanagihara S, et al. 1980. Recovery of slowed nerve conduction velocity in lead-exposed workers. *Int Arch Occup Environ Health* 46:151-157.
- Araki S, Murata K, Aono H. 1987. Central and peripheral nervous system dysfunction in workers exposed to lead, zinc and copper. *Int Arch Occup Environ Health* 59:177-187.
- Araki S, Sata F, Murata K. 1990. Adjustment for urinary flow rate: An improved approach to biological monitoring. *Int Arch Occup Environ Health* 62(6):471-477.
- Araki S, Sato H, Yokoyama K, et al. 2000. Subclinical neurophysiological effects of lead: A review on peripheral, central, and autonomic nervous system effects in lead workers. *Am J Ind Med* 37:193-204.
- Ari E, Kaya Y, Demir H, et al. 2011. The correlation of serum trace elements and heavy metals with carotid artery atherosclerosis in maintenance hemodialysis patients. *Biol Trace Elem Res* 144(1-3):351-359. 10.1007/s12011-011-9103-0.
- Armstrong R, Chettle DR, Scott MC, et al. 1992. Repeated measurements of tibia lead concentrations by *in vivo* x ray fluorescence in occupational exposure. *Br J Ind Med* 49(1):14-16.
- Arnvig E, Grandjean P, Beckmann J. 1980. Neurotoxic effects of heavy lead exposure determined with psychological tests. *Toxicol Lett* 5:399-404.

## 8. REFERENCES

- Aro A, Amarasiriwardena C, Lee ML, et al. 2000. Validation of K x-ray fluorescence bone lead measurements by inductively coupled plasma mass spectrometry in cadaver legs. *Med Phys* 27(1):119-123.
- Arora M, Ettinger AS, Peterson KE, et al. 2008. Maternal dietary intake of polyunsaturated fatty acids modifies the relationship between lead levels in bone and breast milk. *J Nutr* 138:73-79.
- Arora M, Weuve J, Weisskopf MG, et al. 2009. Cumulative lead exposure and tooth loss in men: The Normative Aging Study. *Environ Health Perspect* 117(10):1531-1534.
- Aschengrau A, Beiser A, Bellinger D, et al. 1994. The impact of soil lead abatement on urban children's blood lead levels: Phase II results from Boston Lead-in-Soil Demonstration Project. *Environ Res* 67:125-148.
- Assennato G, Paci C, Baser ME, et al. 1987. Sperm count suppression without endocrine dysfunction in lead-exposed men. *Arch Environ Health* 42:124-127.
- Astrin KH, Bishop DF, Wetmur JG, et al. 1987.  $\delta$ -Aminolevulinic acid dehydratase isozymes and lead toxicity. *Ann NY Acad Sci* 514:23-39.
- ATSDR. 1989. Decision guide for identifying substance-specific data needs related to toxicological profiles; Notice. *Fed Regist* 54(174):37618-37634.
- ATSDR. 1995. Multisite lead and cadmium exposure study with biological markers incorporated. Atlanta, GA: Agency for Toxic Substances and Disease Registry, U.S. Department of Health and Human Services.
- ATSDR. 2004a. Interaction profile for arsenic, cadmium, chromium, and lead. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/interactionprofiles/ip04.html>. July 3, 2017.
- ATSDR. 2004b. Interaction profile for lead, manganese, zinc, and copper. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/interactionprofiles/ip06.html>. July 3, 2017.
- ATSDR. 2006. Interaction profile for chlorpyrifos, lead, mercury, and methylmercury. Atlanta, GA: Agency for Toxic Substances and Disease Registry. <http://www.atsdr.cdc.gov/interactionprofiles/IP-11/ip11.pdf>. July 3, 2017.
- ATSDR. 2007. Toxicological profile for lead. Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/toxprofiles/tp13.pdf>. June 20, 2017.
- ATSDR. 2015. Lead. Full SPL data. Substance priority list (SPL) resource page. Agency for Toxic Substances and Disease Registry, Centers for Disease Control and Prevention. <http://www.atsdr.cdc.gov/SPL/resources/index.html>. February 28, 2017.
- ATSDR. 2017. Case studies in environmental medicine (CSEM). Lead toxicity. [https://www.atsdr.cdc.gov/csem/lead/docs/csem-lead\\_toxicity\\_508.pdf](https://www.atsdr.cdc.gov/csem/lead/docs/csem-lead_toxicity_508.pdf). August 30, 2018.
- Aucott M, Caldarelli A. 2012. Quantity of lead released to the environment in New Jersey in the form of motor vehicle wheel weights. *Water Air Soil Pollut* 223(4):1743-1752. 10.1007/s11270-011-0979-2.
- Aufderheide AC, Wittmers LE, Jr. 1992. Selected aspects of the spatial distribution of lead in bone. *Neurotoxicology* 13:809-820.
- Aungst BJ, Fung HL. 1981. Kinetic characterization of *in vitro* lead transport across the rat small intestine. *Toxicol Appl Pharmacol* 61:39-47.
- Aungst BJ, Dolce JA, Fung HL. 1981. The effect of dose on the disposition of lead in rats after intravenous and oral administration. *Toxicol Appl Pharmacol* 61:48-57.
- Avula B, Wang YH, Smillie TJ, et al. 2010. Quantitative determination of multiple elements in botanicals and dietary supplements using ICP-MS. *J Agric Food Chem* 58:8887-8894.
- Awad el Karin, Hamed AS, Elhaimi YA, et al. 1986. Effects of exposure to lead among lead-acid battery factory workers in Sudan. *Arch Environ Health* 41(4):261-265.
- Azar A, Trochimowica HJ, Maxfield ME. 1973. Review of lead studies in animals carried out at Haskell Laboratory: Two year feeding study and response to hemorrhage study. *Environmental Health* 5004:199-210. Aspects of Lead, Proceedings of the International Symposium, October, 1972.

## 8. REFERENCES

- Baeyens W, Vrijens J, Gao Y, et al. 2014. Trace metals in blood and urine of newborn/mother pairs, adolescents and adults of the Flemish population (2007-2011). *Int J Hyg Environ Health* 217(8):878-890.
- Bagci C, Bozkurt A, Cakmak E, et al. 2004. Blood lead levels of the battery and exhaust workers and their pulmonary function tests. *Int J Clin Pract* 58(6):568-572.
- Baghurst PA, McMichael AJ, Tong S, et al. 1995. Exposure to environmental lead and visual-motor integration at age 7 years: The Port Pirie cohort study. *Epidemiology* 6(2):104-109.
- Baghurst PA, McMichael AJ, Wigg NR, et al. 1992. Environmental exposure to lead and children's intelligence at the age of seven years. *N Engl J Med* 327(18):1279-1284.
- Baghurst PA, Robertson EF, McMichael AJ, et al. 1987. The Port Pirie cohort study: Lead effects on pregnancy outcome and early childhood development. *Neurotoxicology* 8(3):395-402.
- Bailey MR, Roy M. 1994. Clearance of particles from the respiratory tract. In: Human respiratory tract model for radiological protection: A report of a task group of the International Commission on Radiological Protection. Oxford, UK: Pergamon Press, 301-413.
- Baker EL, Feldman RG, White RF, et al. 1983. The role of occupational lead exposure in the genesis of psychiatric and behavioral disturbances. *Acta Psychiatr Scand* 67:38-48.
- Baker EL, Jr., Landrigan PJ, Barbour AG, et al. 1979. Occupational lead poisoning in the United States: Clinical and biochemical findings related to blood lead levels. *Br J Ind Med* 36:314-322.
- Bakulski KM, Rozek LS, Dolinoy DC, et al. 2012. Alzheimer's disease and environmental exposure to lead: The epidemiologic evidence and potential role of epigenetics. *Curr Alzheimer Res* 9(5):563-573.
- Balo J, Attila B, Bela S. 1965. [Experimental adenomas of the kidney produced by chronic administration of lead phosphate] *Magy Onkol* 9:141-151 (Hungarian)
- Bandeem-Roche K, Glass TA, Bolla KI, et al. 2009. Cumulative lead dose and cognitive function in older adults. *Epidemiology* 20(6):831-839. 10.1097/EDE.0b013e3181b5f100.
- Bannon DI, Williams MA. 2017. Matching target dose to target organ. *F1000 Research* 5:2785.
- Bannon DI, Abounader R, Lees PSJ, et al. 2003. Effect of DMT1 knockdown on iron, cadmium, and lead uptake in Caco-2 cells. *Am J Physiol Cell Physiol* 284:C44-C50.
- Bannon DI, Drexler JW, Fent GM, et al. 2009. Evaluation of small arms range soils for metal contamination and lead bioavailability. *Environ Sci Technol* 43(24):9071-9076. 10.1021/es901834h.
- Bannon DI, Olivi L, Bressler J. 2000. The role of anion exchange in the uptake of Pb by human erythrocytes and Madin-Darby canine kidney cells. *Toxicology* 147:101-107.
- Bannon DI, Portnoy ME, Olivi L, et al. 2002. Uptake of lead and iron by divalent metal transporter 1 in yeast and mammalian cells. *Biochem Biophys Res Commun* 295(4):978-984.
- Bao QS, Lu CY, Song H, et al. 2009. Behavioural development of school-aged children who live around a multi-metal sulphide mine in Guangdong province, China: A cross-sectional study. *BMC Public Health* 9(1):217. 10.1186/1471-2458-9-217.
- Baranowska-Bosiacka I, Kosinska I, Jamiol D, et al. 2016. Environmental lead (Pb) exposure versus fatty acid content in blood and milk of the mother and in the blood of newborn children. *Biol Trace Elem Res* 170:279-287. 10.1007/s12011-015-0482-5.
- Barbosa F, Correa Rodrigues MH, Buzalaf MR, et al. 2006c. Evaluation of the use of salivary lead levels as a surrogate of blood lead or plasma lead levels in lead exposed subjects. *Arch Toxicol* 80(10):633-637. 10.1007/s00204-006-0096-y.
- Barbosa F, Ramires I, Rodrigues MHC, et al. 2006a. Contrasting effects of age on the plasma/whole blood lead ratio in men and women with a history of lead exposure. *Environ Res* 102(1):90-95. 10.1016/j.envres.2006.03.007.
- Barbosa F, Sandrim VC, Uzuelli JA, et al. 2006b. eNOS genotype-dependent correlation between whole blood lead and plasma nitric oxide products concentrations. *Nitric Oxide* 14(1):58-64.

## 8. REFERENCES

- Barbosa F, Jr., Tanus-Santos JE, Gerlach RQ, et al. 2005. A critical review of biomarkers used for monitoring human exposure to lead: Advantages, limitations, and future needs. *Environ Health Perspect* 113(12):1669-1674.
- Barltrop D, Meek F. 1979. Effect of particle size on lead absorption from the gut. *Arch Environ Health* 34(4):280-285.
- Barman T, Kalahasthi R, Rajmohan HR. 2014. Effects of lead exposure on the status of platelet indices in workers involved in a lead-acid battery manufacturing plant. *J Expo Sci Environ Epidemiol* 24(6):629-633. 10.1038/jes.2014.4.
- Barregård L, Svalander C, Schütz A, et al. 1999. Cadmium, mercury, and lead in kidney cortex of the general Swedish population: A study of biopsies from living kidney donors. *Environ Health Perspect* 107(11):867-871.
- Barry PSI. 1975. A comparison of concentrations of lead in human tissues. *Br J Ind Med* 32:119-139.
- Barry PSI. 1981. Concentrations of lead in the tissues of children. *Br J Ind Med* 38:61-71.
- Barth A, Schaffer AW, Osterode W, et al. 2002. Reduced cognitive abilities in lead-exposed men. *Int Arch Occup Environ Health* 75:394-398.
- Barton JC. 1984. Active transport of lead-210 by everted segments of rat duodenum. *Am J Physiol* 247:G193-G198.
- Barton JC, Conrad ME, Harrison L, et al. 1978a. Effects of calcium on the absorption and retention of lead. *J Lab Clin Med* 91(3):366-376.
- Barton JC, Conrad ME, Nuby S, et al. 1978b. Effects of iron on the absorption and retention of lead. *J Lab Clin Med* 92(4):536-547.
- Barton JC, Patton MA, Edwards CQ, et al. 1994. Blood lead concentrations in hereditary hemochromatosis. *J Lab Clin Med* 124(2):193-198.
- Basaran N, Undeger U. 2000. Effects of lead on immune parameters in occupationally exposed workers. *Am J Ind Med* 38:349-354.
- Battistuzzi G, Petrucci R, Silvagni L, et al. 1981.  $\delta$ -Aminolevulinate dehydrase: A new genetic polymorphism in man. *Ann Hum Genet* 45(3):223-229.
- Bauchinger M, Dresch J, Schmid E, et al. 1977. Chromosome analyses of children after ecological lead exposure. *Mutat Res* 56:75-80.
- Beck BD, Mattuck RL, Bowers TS, et al. 2001. The development of a stochastic physiologically-based pharmacokinetic model for lead. *Sci Total Environ* 274:15-19.
- Beers MH, Berkow R, eds. 1999. Injuries, poisoning, and cardiopulmonary resuscitation. In: *The Merck manual of diagnosis and therapy*. Whitehouse Station, NJ: Merck Research Laboratories, 2264-2300.
- Behinaein S, Chettle DR, Atanackovic J, et al. 2011. *In vivo* measurement of lead in the bones of smelter workers using the four-element 'clover-leaf' geometry detector system. *Phys Med Biol* 56(3):653-665. 10.1088/0031-9155/56/3/008.
- Behinaein S, Chettle DR, Egden LM, et al. 2012. Nonlinearity in the relationship between bone lead concentrations and CBLI for lead smelter employees. *J Environ Monit* 14(12):3267-3275. 10.1039/c2em30652b.
- Behinaein S, Chettle DR, Egden LM, et al. 2014. The estimation of the rates of lead exchange between body compartments of smelter employees. *Environ Sci Process Impacts* 16(7):1705-1715. 10.1039/c4em00032c.
- Bellinger DC. 2004. Assessing environmental neurotoxicant exposures and child neurobehavior: Confounded by confounding? *Epidemiology* 15(4):383-384.
- Bellinger DC. 2011. The protean toxicities of lead: New chapters in a familiar story. *Int J Environ Res Public Health* 8(7):2593-2628. 10.3390/ijerph8072593.
- Bellinger DC, Needleman HL. 2003. Intellectual impairment and blood lead levels. *N Engl J Med* 349(5):500. 10.1056/NEJM200307313490515.
- Bellinger DC, Hu H, Titlebaum L, et al. 1994. Attentional correlates of dentin and bone lead levels in adolescents. *Arch Environ Health* 49(2):98-105.

## 8. REFERENCES

- Bellinger DC, Leviton A, Sloman J. 1990. Antecedents and correlates of improved cognitive performance of children exposed *in utero* to low levels of lead. *Environ Health Perspect* 89:5-11.
- Bellinger DC, Leviton A, Waternaux C, et al. 1987. Longitudinal analyses of prenatal and postnatal lead exposure and early cognitive development. *N Engl J Med* 316:1037-1043.
- Bellinger DC, Sloman J, Leviton A, et al. 1991. Low-level lead exposure and children's cognitive function in the preschool years. *Pediatrics* 87(2):219-227.
- Bellinger DC, Stiles KM, Needleman HL. 1992. Low-level lead exposure, intelligence and academic achievement: A long-term follow-up study. *Pediatrics* 90(6):855-861.
- Bener A, Almehdi AM, Alwash R, et al. 2001. A pilot survey of blood lead levels in various types of workers in the United Arab Emirates. *Environ Int* 27(4):311-314. 10.1016/S0160-4120(01)00061-7.
- Bergdahl IA, Skerfving S. 1997. Partition of circulating lead between plasma and red cells does not seem to be different for internal and external sources of lead. Letter to the editor. *Am J Ind Med* 32:317-318.
- Bergdahl IA, Gerhardsson L, Liljelind IE, et al. 2006. Plasma-lead concentration: Investigations into its usefulness for biological monitoring of occupational lead exposure. *Am J Ind Med* 49(2):93-101.
- Bergdahl IA, Gerhardsson L, Schütz A, et al. 1997b.  $\delta$ -Aminolevulinic acid dehydratase polymorphism: Influence on lead levels and kidney function in humans. *Arch Environ Health* 52(2):91-96.
- Bergdahl IA, Grubb A, Schütz A, et al. 1997a. Lead binding to  $\delta$ -aminolevulinic acid dehydratase (ALAD) in human erythrocytes. *Basic Clin Pharmacol Toxicol* 81(4):153-158.
- Bergdahl IA, Schutz A, Gerhardsson L, et al. 1997c. Lead concentrations in human plasma, urine and whole blood. *Scand J Work Environ Health* 23(5):359-363.
- Bergdahl IA, Sheveleva M, Schutz A, et al. 1998. Plasma and blood lead in humans: Capacity-limited binding to  $\delta$ -aminolevulinic acid dehydratase and other lead-binding components. *Toxicol Sci* 46:247-253.
- Bergdahl IA, Vahter M, Counter SA, et al. 1999. Lead in plasma and whole blood from lead-exposed children. *Environ Res* 80:25-33.
- Bergeret A, Pouget E, Tedone R, et al. 1990. Neutrophil functions in lead-exposed workers. *Hum Exp Toxicol* 9(4):231-233. 10.1177/096032719000900405.
- Berkowitz GS, Wolff MS, Lapinski RH, et al. 2004. Prospective study of blood and tibia lead in women undergoing surgical menopause. *Environ Health Perspect* 112(17):1673-1678.
- Berlin CM, Gorman RL, May DG, et al. 1995. Treatment guidelines for lead exposure in children. *Pediatrics* 96(1):155-160.
- Bernard AM, Vyskocil A, Roels H, et al. 1995. Renal effects in children living in the vicinity of a lead smelter. *Environ Res* 68:91-95.
- Bernard BP, Becker CE. 1988. Environmental lead exposure and the kidney. *Clin Toxicol* 26(1&2):1-34.
- Bert JL, Van DLJ, Grace JR. 1989. A generalized model for the prediction of lead body burdens. *Environ Res* 48:117-127.
- Bertazzi PA, Zocchetti C. 1980. A mortality study of newspaper printing workers. *Am J Ind Med* 1:85-97.
- Berthelot Y, Valton E, Auroy A, et al. 2008. Integration of toxicological and chemical tools to assess the bioavailability of metals and energetic compounds in contaminated soils. *Chemosphere* 74:166-177.
- Bhattacharya A, Shukla R, Dietrich KN, et al. 2006. Effect of early lead exposure on the maturation of children's postural balance: A longitudinal study. *Neurotoxicol Teratol* 28(3):376-385. 10.1016/j.ntt.2006.02.003.
- Bhatti P, Stewart PA, Hutchinson A, et al. 2009. Lead exposure, polymorphisms in genes related to oxidative stress, and risk of adult brain tumors. *Cancer Epidemiol Biomarkers Prev* 18(6):1841-1848. 10.1158/1055-9965.EPI-09-0197.

## 8. REFERENCES

- Biagini G, Caudarella R, Vangelista A. 1977. Renal morphological and functional modification in chronic lead poisoning. In: Brown, SS, ed. Clinical Chemistry and Chemical Toxicology of Metals. Elsevier/North-Holland Biomedical Press, 123-126.
- Biggins PDE, Harrison RM. 1979. Atmospheric chemistry of automotive lead. Environ Sci Technol 13:558-565.
- Billick IH, Gray VE. 1978. Lead based paint poisoning research: Review and evaluation, 1971-1977. Washington, DC: Department of Housing and Urban Development, Office of Policy Development and Research.
- Bindler R, Renberg I, Klaminder J. 2008. Bridging the gap between ancient metal pollution and contemporary biogeochemistry. J Paleolimnol 40(3):755-770.
- Blake K, Mann M. 1983. Effect of calcium and phosphorus on the gastrointestinal absorption of  $^{203}\text{Pb}$  in man. Environ Res 30(1):188-194.
- Blake KC, Barbezat H, Mann M. 1983. Effect of dietary constituents on the gastrointestinal absorption of  $^{203}\text{Pb}$  in man. Environ Res 30:182-187.
- Bloom MS, Buck Louis GM, Sundaram R, et al. 2015. Birth outcomes and background exposures to select elements, the Longitudinal Investigation of Fertility and the Environment (LIFE). Environ Res 138:118-129. 10.1016/j.envres.2015.01.008.
- Bloom MS, Louis GMB, Sundaram R, et al. 2011. Associations between blood metals and fecundity among women residing in New York State. Reprod Toxicol 31(2):158-163. 10.1016/j.reprotox.2010.09.013.
- Bloom NS, Crecelius EA. 1987. Distribution of silver, mercury, lead, copper, and cadmium in central Puget Sound sediments. Mar Chem 21:377-390.
- Bloom MS, Parsons PJ, Steuerwald AJ, et al. 2010. Toxic trace metals and human oocytes during *in vitro* fertilization (IVF). Reprod Toxicol 29(3):298-305. 10.1016/j.reprotox.2010.01.003.
- Bockelmann I, Pfister EA, McGauran N, et al. 2002. Assessing the suitability of cross-sectional and longitudinal cardiac rhythm tests with regard to identifying effects of occupational chronic lead exposure. J Occup Environ Med 44:59-65.
- Boileau J, Fauguigson C, Hlueber B, et al. 2012. Explosives. In: Ullman's encyclopedia of industrial chemistry. [http://onlinelibrary.wiley.com/doi/10.1002/14356007.a10\\_143.pub2/pdf](http://onlinelibrary.wiley.com/doi/10.1002/14356007.a10_143.pub2/pdf). March 30, 2017.
- Boileau J, Fauquignon C, Napoly C. 1987. Explosives. In: Ullman's encyclopedia of industrial chemistry A10:143-172.
- Bolanowska W, Piotrowski J, Garczynski H. 1967. Triethyl lead in the biological material in cases of acute tetraethyl lead poisoning. Arch Tokiol 22:278-282.
- Bonanno LJ, Freeman NCG, Greenburg M, et al. 2001. Multivariate analysis on levels of selected metals, particulate matter, VOC, and household characteristics and activities from the Midwestern states NHEXAS. Appl Occup Environ Hyg 16(9):859-874.
- Bonde JP, Joffe M, Apostoli P, et al. 2002. Sperm count and chromatin structure in men exposed to inorganic lead: Lowest adverse effect levels. Occup Environ Med 59(4):234-242.
- Borja-Aburto VH, Hertz-Picciotto I, Lopez MR, et al. 1999. Blood lead levels measured prospectively and risk of spontaneous abortion. Am J Epidemiol 150:590-597.
- Borjesson J, Gerhardsson L, Schutz A, et al. 1997. *In vivo* measurements of lead in fingerbone in active and retired lead smelters. Int Arch Occup Environ Health 69:97-105.
- Bornschein RL, Grote J, Mitchell T, et al. 1989. Effects of prenatal lead exposure on infant size at birth In: Lead exposure and child development. An international assessment. Workshop organized by the Commission of the European Communities and the U.S. Environmental Protection Agency. September 1986. Edinburgh, United Kingdom, 307-319.
- Bornschein RL, Succop PA, Krafft KM, et al. 1986. Exterior surface dust lead, interior house dust lead and childhood lead exposure in an urban environment. Trace Subst Environ Health 20:322-332.
- Bos AJJ, van der Strap, Valkovic V, et al. 1985. Incorporation routes of elements into human hair: Implications for hair analysis used for monitoring. Sci Total Environ 42:157-169.

## 8. REFERENCES

- Boscolo P, Di Gioacchino M, Sabbioni E, et al. 1999. Expression of lymphocyte subpopulations, cytokine serum levels, and blood and urinary trace elements in asymptomatic atopic men exposed to an urban environment. *Int Arch Occup Environ Health* 72(1):26-32. 10.1007/s004200050330.
- Boscolo P, Di Gioacchino M, Sabbioni E, et al. 2000. Lymphocyte subpopulations, cytokines and trace elements in asymptomatic atopic women exposed to an urban environment. *Life Sci* 67(10):1119-1126. 10.1016/S0024-3205(00)00712-8.
- Bost L, Primatesta P, Dong W, et al. 1999. Blood lead and blood pressure: Evidence from the health survey for England 1995. *J Hum Hypertens* 13(2; 2):123-128.
- Bouchard MF, Bellinger DC, Weuve J, et al. 2009. Blood lead levels and major depressive disorder, panic disorder, and generalized anxiety disorder in US young adults. *Arch Gen Psychiatry* 66(12):1313-1319. 10.1001/archgenpsychiatry.2009.164.
- Boucher O, Jacobson SW, Plusquellec P, et al. 2012. Prenatal methylmercury, postnatal lead exposure, and evidence of attention deficit/hyperactivity disorder among Inuit children in Arctic Quebec. *Environ Health Perspect* 120(10):1456-1461. 10.1289/ehp.1204976.
- Boucher O, Muckle G, Jacobson JL, et al. 2014. Domain-specific effects of prenatal exposure to PCBs, mercury, and lead on infant cognition: Results from the Environmental Contaminants and Child Development Study in Nunavik. *Environ Health Perspect* 122(3):310-316. 10.1289/ehp.1206323.
- Boudene C, Despauix-Pages N, Comoy E, et al. 1984. Immunological and enzymatic studies of erythrocytic  $\delta$ -aminolevulinic acid dehydratase. *Int Arch Occup Environ Health* 55(1):87-96.
- Boudene C, Malet D, Masse R. 1977. Fate of Pb inhaled by rats. *Toxicol Appl Pharmacol* 41:271-276.
- Bound JP, Harvey PW, Francis BJ, et al. 1997. Involvement of deprivation and environmental lead in neural tube defects: A matched case-control study. *Arch Dis Child* 76(2):107-112.
- Bouton C, Pevsner J. 2000. Effects of lead on gene expression. *Neurotoxicology* 21(6):1045-1056.
- Bowen HJM. 1966. Trace elements in biochemistry. New York, NY: Academic Press, 31-32.
- Bowers TS, Mattuck RL. 2001. Further comparisons of empirical and epidemiological data with predictions of the Integrated Exposure Uptake Biokinetic Model for lead in children. *Hum Ecol Risk Assess* 7:1699-1713.
- Bowers TS, Beck BD, Karam HS. 1994. Assessing the relationship between environmental lead concentrations and adult blood lead levels. *Risk Anal* 14(2):183-189.
- Bradham KD, Green W, Hayes H, et al. 2016. Estimating relative bioavailability of soil lead in the mouse. *J Toxicol Environ Health A* 79(24):1179-1182. 10.1080/15287394.2016.1221789.
- Bradley SB, Cox JJ. 1988. The potential availability of cadmium, copper, iron, lead, manganese, nickel and zinc in standard river sediment (NBS 1645). *Environ Technol Lett* 9:733-739.
- Braun JM, Froehlich TE, Daniels JL, et al. 2008. Association of environmental toxicants and conduct disorder in U.S. children: NHANES 2001-2004. *Environ Health Perspect* 116(7):956-962. 10.1289/ehp.11177.
- Braun JM, Hoffman E, Schwartz J, et al. 2012. Assessing windows of susceptibility to lead-induced cognitive deficits in Mexican children. *Neurotoxicology* 33(5):1040-1047. 10.1016/j.neuro.2012.04.022.
- Braun JM, Kahn RS, Froehlich T, et al. 2006. Exposures to environmental toxicants and attention deficit hyperactivity disorder in US children. *Environ Health Perspect* 114(12):1904-1909. 10.1289/ehp.9478.
- Braun JM, Wright RJ, Just AC, et al. 2014. Relationships between lead biomarkers and diurnal salivary cortisol indices in pregnant women from Mexico City: A cross-sectional study. *Environ Health* 13(1):50. 10.1186/1476-069x-13-50.
- Braunstein GD, Dahlgren J, Loriaux DL. 1978. Hypogonadism in chronically lead-poisoned men. *Infertility* 1(1):33-51.
- Brender JD, Suarez L, Felkner M, et al. 2006. Maternal exposure to arsenic, cadmium, lead, and mercury and neural tube defects in offspring. *Environ Res* 101(1):132-139. 10.1016/j.envres.2005.08.003.



## 8. REFERENCES

- Bres EF, Voegel JC, Barry JC, et al. 1986. Feasibility study for the detection of lead substitution sites in the hydroxyapatite crystal structure using high resolution electron microscopy (HREM) at optimum focus. *J Appl Crystallogr* 19:168-173.
- Bress WC, Bidanset JH. 1991. Percutaneous *in vivo* and *in vitro* absorption of lead. *Vet Hum Toxicol* 33(3):212-214.
- Bressler J, Kim K, Chakraborti T, et al. 1999. Molecular mechanisms of lead neurotoxicity. *Neurochem Res* 24(4):595-600.
- Bressler JP, Olivi L, Kim Y-B, et al. 2005. Plasma membrane transporters for lead and cadmium. *Biomol Ther* 13(1):1-6.
- Brito JA, McNeill FE, Webber CE, et al. 2005. Grid search: An innovative method for the estimation of the rates of lead exchange between body compartments. *J Environ Monit* 7(3):241-247.
- Brodeur J, Lacasse Y, Talbot D. 1983. Influence of removal from occupational lead exposure on blood and saliva lead concentrations. *Toxicol Lett* 19(1-2):195-199.
- Brody DJ, Pirkle JL, Kramer RA, et al. 1994. Blood lead levels in the US population: Phase I of the third National Health and Nutritional Examination Survey (NHANES III, 1968-1991). *J Am Med Assoc* 272(4):277-283.
- Broberg K, Engstrom K, Ameer S. 2015. Gene-environment interactions for metals. In: Nordberg GF, Fowler BA, Nordberg M, eds. *Handbook on the toxicology of metals*. Chapter 12. Fourth ed. Elsevier, 239-264.
- Bronner F, Pansu D, Stein WD. 1986. An analysis of intestinal calcium transport across the rat intestine. *Am J Physiol* 250(13):G561-G569.
- Brown RW, Gonzales C, Hooper MJ, et al. 2008. Soil lead (Pb) in residential transects through Lubbock, Texas: A preliminary assessment. *Environ Geochem Health* 30(6):541-547. 10.1007/s10653-008-9180-y.
- Brown S, Chaney RL, Hallfrisch J, et al. 2004. In situ soil treatments to reduce the phyto and bioavailability of lead, zinc and cadmium. *J Environ Qual* 33:522-531.
- Brubaker CJ, Dietrich KN, Lanphear BP, et al. 2010. The influence of age of lead exposure on adult gray matter volume. *Neurotoxicology* 31(3):259-266. 10.1016/j.neuro.2010.03.004.
- Brunekreef B. 1984. The relationship between air lead and blood lead in children: A critical review. *Sci Total Environ* 38:79-123.
- Buc H-a, Kaplan J-c. 1978. Red-cell pyrimidine 5'-nucleotidase and lead poisoning. *Clin Chim Acta* 87(1):49-55.
- Buchet J, Roels H, Bernard Jr A, et al. 1980. Assessment of renal function of workers exposed to inorganic lead, cadmium or mercury vapor. *J Occup Environ Med* 22(11):741-750.
- Budtz-Jorgensen E, Bellinger D, Lanphear B, et al. 2013. An international pooled analysis for obtaining a benchmark dose for environmental lead exposure in children. *Risk Anal* 33(3):450-461. 10.1111/j.1539-6924.2012.01882.x.
- Bulsma JB, De FHF. 1976. Cytogenetic investigations in volunteers ingesting inorganic lead. *Int Arch Occup Environ Health* 38:145-148.
- Burns JS, Williams PL, Lee ML, et al. 2017. Peripubertal blood lead levels and growth among Russian boys. *Environ Int* 106:53-59. 10.1016/j.envint.2017.05.023.
- Buser MC, Scinicariello F. 2017. Cadmium, lead, and depressive symptoms: Analysis of National Health and Nutrition Examination Survey 2011-2012. *J Clin Psychiatry* 78(5):e515-e521. 10.4088/JCP.15m10383.
- Bushnik T, Levallois P, D'Amour M, et al. 2014. Association between blood lead and blood pressure: Results from the Canadian Health Measures Survey (2007 to 2011). *Health Rep* 25(7):12-22.
- Businelli D, Onofri A, Massaccesi L. 2011. Factors involved in uptake of lead by some edible crops grown in agricultural soils of Central Italy. *Soil Sci* 176(9):472-478.
- Butterweck G, Schuler C, Vezzù G, et al. 2002. Experimental determination of the absorption rate of unattached radon progeny from respiratory tract to blood. *Radiat Prot Dosimetry* 102(4):343-348.

## 8. REFERENCES

- Cabral M, Dieme D, Verdin A, et al. 2012. Low-level environmental exposure to lead and renal adverse effects: A cross-sectional study in the population of children bordering the Mbeubeuss landfill near Dakar, Senegal. *Hum Exp Toxicol* 31(12):1280-1291. 10.1177/0960327112446815.
- Cake K, Bowins R, Vaillancourt C, et al. 1996. Partition of circulating lead between serum and red cells is different for internal and external sources of lead. *Am J Ind Med* 29(5):440-445.
- Calabrese EJ, Stanek EJ, Gilbert CE, et al. 1990. Preliminary adult soil ingestion estimates: Results of a pilot study. *Regul Toxicol Pharmacol* 12(1):88-95.
- Calderon-Salinas JV, Quintanar-Escorcia MA, Gonzalez-Martinez MT, et al. 1999. Lead and calcium transport in human erythrocyte. *Hum Exp Toxicol* 18:327-332.
- Calello DP, Henretig FM. 2014. Lead. In: Goldfrank's toxicologic emergencies. Tenth ed. New York, NY: McGraw-Hill, 1219-1234.
- Cal EPA. 2013. Estimating workplace air and worker blood lead concentration using an updated physiologically-based pharmacokinetic (PBPB) model. California Environmental Protection Agency.
- Cal EPA. 2017. User's guide to LeadSpread 8 and recommendations for evaluation of lead exposures in adults. California Department of Toxic Substances Control. Human and Ecological Risk Office, California Environmental Protection Agency. [http://www.dtsc.ca.gov/AssessingRisk/upload/LeadSpread8\\_UserGuide.pdf](http://www.dtsc.ca.gov/AssessingRisk/upload/LeadSpread8_UserGuide.pdf). September 1, 2017.
- Campara P, D'Andrea F, Micciolo R, et al. 1984. Psychological performance of workers with blood-lead concentration below the current threshold limit value. *Int Arch Occup Environ Health* 53:233-246.
- Campbell JR, Auinger P. 2007. The association between blood lead levels and osteoporosis among adults--results from the Third National Health and Nutrition Examination Survey (NHANES III). *Environ Health Perspect* 115(7):1018-1022. 10.1289/ehp.9716.
- Campbell JR, Toribara TY. 2001. Hair-root lead to screen for lead toxicity. *J Trace Elem Exp Med* 14:69-72.
- Campbell JR, Moss ME, Raubertas RF. 2000a. The association between caries and childhood lead exposure. *Environ Health Perspect* 108(11):1099-1102.
- Campbell JR, Rosier RN, Novotny L, et al. 2004. The association between environmental lead exposure and bone density in children. *Environ Health Perspect*:1200-1203.
- Campbell TF, Needleman HL, Riess JA, et al. 2000b. Bone lead levels and language processing performance. *Dev Neuropsychol* 18(2):171-186.
- Can S, Bağcı C, Ozaslan M, et al. 2008. Occupational lead exposure effect on liver functions and biochemical parameters. *Acta Physiol Hung* 95(4):395-403. 10.1556/APhysiol.95.2008.4.6.
- Canfield RL, Henderson CR, Jr., Cory-Slechta DA, et al. 2003. Intellectual impairment in children with blood lead concentrations below 10 micrograms per deciliter. *N Engl J Med* 348(16):1517-1526. 10.1056/NEJMoa022848.
- Canonne-Hergaux F, Gruenheid S, Ponka P, et al. 1999. Cellular and subcellular localization of the Nramp2 iron transporter in the intestinal brush border and regulation by dietary iron. *Blood* 93(12):4406-4417.
- Cantonwine D, Hu H, Sánchez BN, et al. 2010a. Critical windows of fetal lead exposure: Adverse impacts on length of gestation and risk of premature delivery. *J Occup Environ Med* 52(11):1106-1111. 10.1097/JOM.0b013e3181f86fee.
- Cantonwine D, Hu H, Tellez-Rojo MM, et al. 2010b. HFE gene variants modify the association between maternal lead burden and infant birthweight: A prospective birth cohort study in Mexico City, Mexico. *Environmental Health: A Global Access Science Source* 9:43. 10.1186/1476-069X-9-43.
- Cao X, Ma LQ, Chen M, et al. 2003a. Lead transformation and distribution in the soils of shooting ranges in Florida, USA. *Sci Total Environ* 307:179-189.
- Cao X, Ma LQ, Chen M, et al. 2003b. Weathering of lead bullets and their environmental effects at outdoor shooting ranges. *J Environ Qual* 32:526-534.
- Carbone R, Laforgia N, Crollo E, et al. 1998. Maternal and neonatal lead exposure in southern Italy. *Biol Neonate* 73:362-366.

## 8. REFERENCES

- Cardenas A, Roels H, Bernard A, et al. 1993. Markers of early renal changes induced by industrial pollutants. II. Application to workers exposed to lead. *Br J Ind Med* 50(1):28-36.
- Cardozo dos Santos A, Colacciopo S, Dal Bó CM, et al. 1994. Occupational exposure to lead, kidney function tests, and blood pressure. *Am J Ind Med* 26(5):635-643.
- Carlisle JC, Wade MJ. 1992. Predicting blood lead concentrations from environmental concentrations. *Regul Toxicol Pharmacol* 16(3):280-289.
- Carr DS. 1995. Lead compounds: Lead salts. In: Kirk-Othmer encyclopedia of chemical technology, New York, NY: John Wiley & Sons, 132-152.
- Carr DS, Spangenberg WC, Chronley K, et al. 2004. Lead compounds. In: Kirk-Othmer encyclopedia of chemical technology.
- Case JM, Reif CB, Timko A. 1989. Lead in the bottom sediments of Lake Nuangola and fourteen other bodies of water in Luzerne County, Pennsylvania. *J PA Acad Sci* 63(2):67-72.
- Cassidy-Bushrow AE, Havstad S, Basu N, et al. 2016. Detectable blood lead level and body size in early childhood. *Biol Trace Elem Res* 171(1):41-47. 10.1007/s12011-015-0500-7.
- Casteel SW, Cowart RP, Weis CP, et al. 1997. Bioavailability of lead to juvenile swine dosed with soil from the Smuggler Mountain NPL site of Aspen, Colorado. *Toxicol Sci* 36(2):177-187.
- Casteel SW, Weis CP, Henningsen GM, et al. 2006. Estimation of relative bioavailability of lead in soil and soil-like materials using young swine. *Environ Health Perspect* 114(8):1162-1171.
- Cavalleri A, Minoia C, Pozzoli L, et al. 1978. Determination of plasma lead levels in normal subjects and lead-exposed workers. *Br J Ind Med* 35:21-26.
- CDC. 1985. Preventing lead poisoning in young children. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control. Publication No. 99-2230.
- CDC. 1991. Preventing lead poisoning in young children. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Centers for Disease Control. <http://aepo-xdv-www.epo.cdc.gov/wonder/prevguid/p0000029/p0000029.asp>.
- CDC. 1997a. Children with elevated blood lead levels attributed to home renovation and remodeling activities – New York, 1993-1994. *MMWR Morb Mortal Wkly Rep* 45:1120-1123.
- CDC. 1997b. Screening young children for lead poisoning: Guidance for state and local public health officials. Atlanta, GA: Centers for Disease Control and Prevention. <http://www.cdc.gov/nceh/lead/guide/guide97.htm>.
- CDC. 1997c. Update: Blood lead levels – United States, 1991-1994. *MMWR Morb Mortal Wkly Rep* 46(7):141-146.
- CDC. 1998. Lead poisoning associated with imported candy and powdered food coloring - California and Michigan. *MMWR Morb Mortal Wkly Rep* 47(48):1041-1043.
- CDC. 2002a. Managing elevated blood levels among young children. Recommendations from the Advisory Committee on Childhood Lead Poisoning. Centers for Disease Control and Prevention. <https://www.cdc.gov/nceh/lead/casemanagement/managingEBLLs.pdf>. July 18, 2018.
- CDC. 2002b. Childhood lead poisoning associated with tamarind candy and fold remedies-California, 1999-2000. *MMWR Morb Mortal Wkly Rep* 51:684-686. <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5131a3.htm>. June 28, 2017.
- CDC. 2004. Lead poisoning associated with Ayurveda medications - five states, 2000-2003. *MMWR Morb Mortal Wkly Rep* 53(26):582-584.
- CDC. 2005. Lead poisoning associated with use of litargirio-Rhode Island, 2003. Centers for Disease Control and Prevention. *MMWR Morb Mortal Wkly Rep* 54(09):227-229. <https://www.cdc.gov/mmwr/preview/mmwrhtml/mm5409a5.htm>. June 28, 2017.
- CDC. 2006. Brief report: Death of a child after ingestion of a metallic charm- Minnesota 2006. *MMWR Morb Mortal Wkly Rep* 55(12):340-341.
- CDC. 2009. Fourth national report on human exposure to environmental chemicals. Atlanta, GA: Centers for Disease Control and Prevention, Department of Health and Human Services. <http://www.cdc.gov/exposurereport>. April 20, 2014.

## 8. REFERENCES

- CDC. 2011. State-based prevalence data of ADHD diagnosis. Atlanta, GA: Centers for Disease Control and Prevention, Department of Health and Human Services.
- CDC. 2012a. Infant lead poisoning associated with use of tiro, an eye cosmetic from Nigeria — Boston, Massachusetts, 2011. *MMWR Morb Mortal Wkly Rep* 61(30):574-576.
- CDC. 2012b. Lead in drinking water and human blood lead levels in the United States. *MMWR*. Centers for Disease Control and Prevention. *MMWR Morb Mortal Wkly Rep* 61(Suppl). August 10, 2012. <https://www.cdc.gov/mmwr/pdf/other/su6104.pdf>. June 29, 2017.
- CDC. 2012c. Lead poisoning in pregnant women who used Ayurvedic medications from India-New York City, 2011-2012. *MMWR Morb Mortal Wkly Rep* 61(33):641-646.
- CDC. 2012d. CDC response to Advisory Committee on Childhood Lead Poisoning Prevention. Recommendations in “Low level lead exposure harms children: A renewed call for primary prevention.”. Atlanta, GA: Centers for Disease Control and Prevention, Department of Health and Human Services. [https://www.cdc.gov/nceh/lead/acclpp/cdc\\_response\\_lead\\_exposure\\_recs.pdf](https://www.cdc.gov/nceh/lead/acclpp/cdc_response_lead_exposure_recs.pdf). December 8, 2017.
- CDC. 2012e. Tested and confirmed elevated blood lead levels by state, year and blood lead level group for children <72 months. Atlanta, GA: Centers for Disease Control and Prevention, Department of Health and Human Services. <http://www.cdc.gov/nceh/lead/data/national.htm>. June 29, 2017.
- CDC. 2012f. Lead level lead exposure harms children: A renewed call for primary prevention. Atlanta, GA: Centers for Disease Control and Prevention, Department of Health and Human Services. [https://www.cdc.gov/nceh/lead/acclpp/final\\_document\\_030712.pdf](https://www.cdc.gov/nceh/lead/acclpp/final_document_030712.pdf). August 25, 2017.
- CDC. 2013. Childhood lead exposure associated with the use of kajal, an eye cosmetic from Afghanistan — Albuquerque, New Mexico, 2013. *MMWR Morb Mortal Wkly Rep* 62(46):917-919.
- CDC. 2018a. Fourth national report on human exposure to environmental chemicals. Updated tables, March 2018, Volume One. Atlanta, GA: Centers for Disease Control and Prevention, U.S. Department of Health and Human Services. [https://www.cdc.gov/exposurereport/pdf/FourthReport\\_UpdatedTables\\_Volume1\\_Mar2018.pdf/](https://www.cdc.gov/exposurereport/pdf/FourthReport_UpdatedTables_Volume1_Mar2018.pdf/)
- CDC. 2018b. Fourth national report on human exposure to environmental chemicals. Updated tables, March 2018, Volume Two. Atlanta, GA: Center for Disease Control and Prevention, U.S. Department of Health and Human Services. [https://www.cdc.gov/exposurereport/pdf/FourthReport\\_UpdatedTables\\_Volume2\\_Mar2018.pdf](https://www.cdc.gov/exposurereport/pdf/FourthReport_UpdatedTables_Volume2_Mar2018.pdf). May 01, 2018.
- CDC. 2018c. Lead hazards in some holiday toys and toy jewelry. Atlanta, GA: Centers for Disease Control and Prevention, Department of Health and Human Services. <https://www.cdc.gov/features/leadintoys/index.html>. March 08, 2018.
- Cecil KM, Brubaker CJ, Adler CM, et al. 2008. Decreased brain volume in adults with childhood lead exposure. *PLoS Med* 5(5):e112. 10.1371/journal.pmed.0050112.
- Cecil KM, Dietrich KN, Altaye M, et al. 2011. Proton magnetic resonance spectroscopy in adults with childhood lead exposure. *Environ Health Perspect* 119(3):403-408. 10.1289/ehp.1002176.
- Chamberlain AC. 1983. Effect of airborne lead on blood lead. *Atmos Environ* 17:677-692.
- Chamberlain AC, Heard MJ, Little P, et al. 1978. Investigations into lead from motor vehicles. United Kingdom Atomic Energy Authority. AERE-R9188.
- Chamberlain AC, Heard MJ, Little P, et al. 1979. The dispersion of lead from motor exhausts. *Philosophical Transactions of the Royal Society of London, Series A Mathematical and Physical Sciences* 290:577-589.
- Chandramouli K, Steer CD, Ellis M, et al. 2009. Effects of early childhood lead exposure on academic performance and behaviour of school age children. *Arch Dis Child* 94(11):844-848. 10.1136/adc.2008.149955.
- Chaney RL, Mielke HW, Sterrett SB. 1988. Speciation, mobility and bioavailability of soil lead. *Lead in Soil: Issues and Guidelines*. *Environ Geochem Health Monographs Series* 4, 105-130.
- Chang SH, Cheng BH, Lee SL, et al. 2006. Low blood lead concentration in association with infertility in women. *Environ Res* 101(3):380-386. 10.1016/j.envres.2005.10.004.

## 8. REFERENCES

- Chao K, Hutton H, Levin A. 2015. Laboratory assessment of kidney disease. Glomerular filtration rate, urinalysis and proteinuria. In: Shorecki K, Chertow GM, Madsen PA, et al., eds. *Brenner and Rector's The Kidney*. Elsevier, 780-803.
- Charney E, Sayre J, Coulter M. 1980. Increased lead absorption in inner city children: Where does the lead come from? *Pediatrics* 65(2):226-231.
- Chen A, Cai B, Dietrich KN, et al. 2007. Lead exposure, IQ, and behavior in urban 5- to 7-year-olds: Does lead affect behavior only by lowering IQ? *Pediatrics* 119(3):e650-e658. 10.1542/peds.2006-1973.
- Chen A, Dietrich KN, Ware JH, et al. 2005. IQ and blood lead from 2 to 7 years of age: Are the effects in older children the residual of high blood lead concentrations in 2-year-olds? *Environ Health Perspect* 113(5):597-601. 10.1289/ehp.7625.
- Chen CC, Yen HW, Lo YH, et al. 2013. The association of prolonged QT interval on electrocardiography and chronic lead exposure. *J Occup Environ Med* 55(6):614-619. 10.1097/JOM.0b013e318291787a.
- Chen HI, Chiu YW, Hsu YK, et al. 2010. The association of metallothionein-4 gene polymorphism and renal function in long-term lead-exposed workers. *Biol Trace Elem Res* 137:55-62.
- Chen PC, Pan IJ, Wang JD. 2006. Parental exposure to lead and small for gestational age births. *Am J Ind Med* 49(6):417-422. 10.1002/ajim.20313.
- Chen Z, Myers R, Wei T, et al. 2014. Placental transfer and concentrations of cadmium, mercury, lead, and selenium in mothers, newborns, and young children. *J Expo Sci Environ Epidemiol* 24(5):537-544. 10.1038/jes.2014.26.
- Cheng Y, Schwartz J, Sparrow D, et al. 2001. Bone lead and blood lead levels in relation to baseline blood pressure and the prospective development of hypertension: The Normative Aging Study. *Am J Epidemiol* 153(2):164-171. 10.1093/aje/153.2.164.
- Cheng Y, Schwartz J, Vokonas PS, et al. 1998. Electrocardiographic conduction disturbances in association with low-level lead exposure (the Normative Aging Study). *Am J Cardiol* 82:594-599.
- Chettle DR, Arnold ML, Aro ACA, et al. 2003. An agreed statement on calculating lead concentration and uncertainty in XRF *in vivo* bone lead analysis. *Appl Radiat Isot* 58:603-605.
- Chettle DR, Scott MC, Somervaille LJ. 1991. Lead in bone: Sampling and quantitation using K X-rays excited by <sup>109</sup>Cd. *Environ Health Perspect* 91:49-55.
- Cheung MR. 2013. Blood lead concentration correlates with all cause, all cancer and lung cancer mortality in adults: A population based study. *Asian Pac J Cancer Prev* 14(5):3105-3108.
- Chia K, Jeyaratnam J, Lee J, et al. 1995b. Lead-induced nephropathy: Relationship between various biological exposure indices and early markers of nephrotoxicity. *Am J Ind Med* 27(6):883-895.
- Chia K, Jeyaratnam J, Tan C, et al. 1995a. Glomerular function of lead-exposed workers. *Toxicol Lett* 77(1-3):319-328.
- Chia KS, Mutti A, Tan C, et al. 1994. Urinary N-acetyl-β-D-glucosaminidase activity in workers exposed to inorganic lead. *Occup Environ Med* 51:125-129.
- Chia SE, Chia HP, Ong CN, et al. 1996. Cumulative concentrations of blood lead and postural stability. *Occup Environ Med* 53:264-268.
- Chia SE, Zhou H, Tham MT, et al. 2005. Possible influence of δ-aminolevulinic acid dehydratase polymorphism and susceptibility to renal toxicity of lead: A study of a Vietnamese population. *Environ Health Perspect* 113(10):1313-1317. 10.1289/ehp.7904.
- Chiang WF, Yang HJ, Lung SC, et al. 2008. A comparison of elementary schoolchildren's exposure to arsenic and lead. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 26(3):237-255. 10.1080/10590500802343958.
- Chinde S, Kumari M, Devi KR, et al. 2014. Assessment of genotoxic effects of lead in occupationally exposed workers. *Environ Sci Pollut Res Int* 21(19):11469-11480. 10.1007/s11356-014-3128-9.
- Chiodo LM, Jacobson SW, Jacobson JL. 2004. Neurodevelopmental effects of postnatal lead exposure at very low levels. *Neurotoxicol Teratol* 26(3):359-371. 10.1016/j.ntt.2004.01.010.

## 8. REFERENCES

- Chisolm JJ, Jr. 1986. Editorial. Removal of lead paint from old housing: The need for a new approach. *Am J Public Health* 76(3):236-237.
- Chisolm JJ, Mellits ED, Barrett MB. 1976. Interrelationships among blood lead concentration, quantitative daily ALA-U and urinary lead output following calcium EDTA. In: Nordberg GF, ed. *Effects and dose relationships of toxic metals*. Amsterdam, The Netherlands: Elsevier Scientific Publishing Company, 416-433.
- Cho SH, Richmond-Bryant J, Thornburg J, et al. 2011. A literature review of concentrations and size distributions of ambient airborne Pb-containing particulate matter. *Atmos Environ* 45(28):5005-5015. 10.1016/j.atmosenv.2011.05.009.
- Choate LM, Ranville JF, Bunge AL, et al. 2006a. Dermally adhered soil: 1. Amount and particle-size distribution. *Integr Environ Assess Manag* 2(4):375-384.
- Choate LM, Ranville JF, Bunge AL, et al. 2006b. Dermally adhered soil: 2. Reconstruction of dry-sieve particle-size distributions from wet-sieve data. *Integr Environ Assess Manag* 2(4):385-390.
- Choi WJ, Kwon HJ, Lim MH, et al. 2016. Blood lead, parental marital status and the risk of attention-deficit/hyperactivity disorder in elementary school children: A longitudinal study. *Psychiatry Res* 236:42-46. 10.1016/j.psychres.2016.01.002.
- Choi YH, Hu H, Mukherjee B, et al. 2012. Environmental cadmium and lead exposures and hearing loss in U.S. adults: The National Health and Nutrition Examination Survey, 1999 to 2004. *Environ Health Perspect* 120(11):1544-1550. 10.1289/ehp.1104863.
- Choi DD, Richter GW. 1972. Lead poisoning: Rapid formation of intranuclear inclusions. *Science* 177:1194-1195.
- Chowdhury R, Sarnat SE, Darrow L, et al. 2014. Mortality among participants in a lead surveillance program. *Environ Res* 132:100-104. 10.1016/j.envres.2014.03.008.
- Chrastny V, Komarek M, Hajek T. 2010. Lead contamination of an agricultural soil in the vicinity of a shooting range. *Environ Monit Assess* 162:37-46. 10.1007/s10661-009-0774-3.
- Chu NF, Liou SH, Wu TN, et al. 1999. Reappraisal of the relation between blood lead concentration and blood pressure among the general population in Taiwan. *Occup Environ Med* 56:30-33.
- Chuan MC, Shu GY, Liu JC. 1996. Solubility of heavy metals in a contaminated soil: Effects of redox potential and pH. *Water Air Soil Pollut* 90:543-556.
- Chuang HY, Kuo CH, Chiu YW, et al. 2007. A case-control study on the relationship of hearing function and blood concentrations of lead, manganese, arsenic, and selenium. *Sci Total Environ* 387(1-3):79-85. 10.1016/j.scitotenv.2007.07.032.
- Chuang HY, Schwartz J, Tsai SY, et al. 2000. Vibration perception thresholds in workers with long term exposure to lead. *Occup Environ Med* 57(9):588-594.
- Chung HK, Chang YS, Ahn CW. 2015. Effects of blood lead levels on airflow limitations in Korean adults: Findings from the 5th KNHNS 2011. *Environ Res* 136:274-279. 10.1016/j.envres.2014.10.027.
- Clark C, Bornschein R, Succop P, et al. 1985. Condition and type of housing as an indicator of potential environmental lead exposure and pediatric blood lead levels. *Environ Res* 38(1):46-53.
- Clark S, Menrath W, Chen M, et al. 2004. The influence of exterior dust and soil lead on interior dust lead levels in housing that had undergone lead-based paint hazard control. *J Occup Environ Hyg* 1(5):273-282. 10.1080/15459620490439036.
- Clausing P, Brunekreef B, van Wijnen JH. 1987. A method for estimating soil ingestion by children. *Int Arch Occup Environ Health* 59(1):73-82.
- Clayton CA, Pellizzari ED, Quackenboss JJ. 2002. National Human Exposure Assessment Survey: Analysis of exposure pathways and routes for arsenic and lead in EPA Region 5. *J Expo Anal Environ Epidemiol* 12:29-43.
- Clayton CA, Pellizzari ED, Whitmore RW, et al. 1999. National Human Exposure Assessment Survey (NHEXAS): Distributions and associations of lead, arsenic and volatile organic compounds in EPA Region 5. *J Expo Anal Environ Epidemiol* 9(5):381-392.

## 8. REFERENCES

- Clewell HJ, Andersen ME. 1985. Risk assessment extrapolations and physiological modeling. *Toxicol Ind Health* 1(4):111-131.
- Coate D, Fowles R. 1989. Is there statistical evidence for a blood lead-blood pressure relationship? *J Health Econ* 8:173-184.
- Cocco P, Dosemeci M, Heineman EF. 1998a. Brain cancer and occupational exposure to lead. *J Occup Environ Med* 40(11):937-942.
- Cocco P, Heineman EF, Dosemeci M. 1999a. Occupational risk factors for cancer of the central nervous system (CNS) among US women. *Am J Ind Med* 36:70-74.
- Cocco P, Hua F, Boffetta P, et al. 1997. Mortality of Italian lead smelter workers. *Scand J Work Environ Health* 23:15-23.
- Cocco P, Ward MH, Dosemeci M. 1998b. Occupational risk factors for cancer of the gastric cardia. *J Occup Environ Med* 40(10):855-861.
- Cocco P, Ward MH, Dosemeci M. 1999b. Risk of stomach cancer associated with 12 workplace hazards: Analysis of death certificates from 24 states of the United States with the aid of job exposure matrices. *Occup Environ Med* 56:781-787.
- Cocco PL, Carta P, Belli S, et al. 1994. Mortality of Sardinian lead and zinc miners: 1960-1968. *Occup Environ Med* 51:674-682.
- Cockcroft DW, Gault MH. 1976. Prediction of creatinine clearance from serum creatinine. *Nephron* 16:31-41.
- Cohen AJ, Roe FJC. 1991. Review of lead toxicology relevant to the safety assessment of lead acetate as a hair colouring. *Food Chem Toxicol* 29(7):485-507.
- Cohen J. 1988. Revisions to dietary lead estimates for case-study exposure analyses. Memo to the files. Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Air Quality Planning and Standards.
- Cohen N, Modai D, Golik A, et al. 1989. Increased concanavalin A-induced suppressor cell activity in humans with occupational lead exposure. *Environ Res* 48(1):1-6.
- Comino E, Menegatti S, Fiorucci A, et al. 2011. Accumulation and translocation capacity of As, Co, Cr and Pb by forage plants. *Agrochimica* 55:105-115.
- Conterato GM, Bulcao RP, Sobieski R, et al. 2013. Blood thioredoxin reductase activity, oxidative stress and hematological parameters in painters and battery workers: Relationship with lead and cadmium levels in blood. *J Appl Toxicol* 33(2):142-150. 10.1002/jat.1731.
- Cools A, Salle HJA, Verberk MM, et al. 1976. Short Communications. Biochemical response of male volunteers ingesting inorganic lead for 49 days. *Int Arch Occup Environ Health* 38:129-139.
- Coon S, Stark A, Peterson E, et al. 2006. Whole-body lifetime occupational lead exposure and risk of Parkinson's disease. *Environ Health Perspect* 114(12):1872-1876. 10.1289/ehp.9102.
- Cooper GS, Umbach DM. 1996. Are Vitamin D receptor polymorphisms associated with bone mineral density? A meta-analysis. *J Bone Miner Res* 11(12):1841-1849.
- Cooper WC. 1988. Deaths from chronic renal disease in US battery and lead production workers. *Environ Health Perspect* 78:61-63.
- Cooper WC, Wong O, Kheifets L. 1985. Mortality among employees of lead battery plants and lead-producing plants, 1947-1980. *Scand J Work Environ Health* 11:331-345.
- Corrin ML, Natusch DF. 1977. Physical and chemical characteristics of environmental lead. In: *Lead in the environment*. Washington, DC: National Science Foundation, 7-31.
- Cory-Slechta DA. 1995. Relationships between lead-induced learning impairments and changes in dopaminergic, cholinergic, and glutamatergic neurotransmitter system functions. *Ann Rev Pharmacol Toxicol* 35:391-415.
- Cory-Slechta DA. 2003. Lead-induced impairments in complex cognitive function: Offerings from experimental studies. *Child Neuropsychol* 9(1):54-75.
- Cory-Slechta DA, Weiss B, Cox C. 1987. Mobilization and redistribution of lead over the course of calcium disodium ethylenediamine tetraacetate chelation therapy. *J Pharmacol Exp Ther* 243(3):804-813.

## 8. REFERENCES

- Costa de Almeida GR, de Freitas Tavares CF, de Souza AM, et al. 2010. Whole blood, serum, and saliva lead concentrations in 6- to 8-year-old children. *Sci Total Environ* 408(7):1551-1556. 10.1016/j.scitotenv.2009.12.034.
- Costa de Almeida GR, de Sousa Guerra C, de Angelo Souza Leite G, et al. 2011. Lead contents in the surface enamel of primary and permanent teeth, whole blood, serum, and saliva of 6- to 8-year-old children. *Sci Total Environ* 409(10):1799-1805. 10.1016/j.scitotenv.2011.01.004.
- Costa de Almeida GR, Umbelino de Freitas C, Barbosa F, Jr., et al. 2009. Lead in saliva from lead-exposed and unexposed children. *Sci Total Environ* 407(5):1547-1550. 10.1016/j.scitotenv.2008.10.058.
- Coste J, Mandereau L, Pessione F, et al. 1991. Lead-exposed workmen and fertility: A cohort study on 354 subjects. *Eur J Epidemiol* 7(2):154-158.
- Counter SA, Buchanan LH, Ortega F. 2008. Zinc protoporphyrin levels, blood lead levels and neurocognitive deficits in Andean children with chronic lead exposure. *Clin Biochem* 41(1-2):41-47. 10.1016/j.clinbiochem.2007.10.002.
- Counter SA, Buchanan LH, Ortega F. 2009. Neurocognitive screening of lead-exposed Andean adolescents and young adults. *J Toxicol Environ Health, Part A* 72(10):625-632. 10.1080/15287390902769410.
- Counter SA, Buchanan LH, Ortega F, et al. 2014. Lead levels in the breast milk of nursing Andean mothers living in a lead-contaminated environment. *J Toxicol Environ Health A* 77(17):993-1003. 10.1080/15287394.2014.897281.
- Cox WM, Pesola GR. 2005. Buckshot ingestion. *N Engl J Med* 353(26):e23.
- CPSC. 1996. CPSC finds lead poisoning hazard for young children in imported vinyl miniblinds. U.S. Consumer Product Safety Commission. <http://www.cpsc.gov/cpscpub/prerel/prhtml/96150.html>.
- Craig JR, Rimstidt JD, Bonnaffon CA, et al. 1999. Surface water transport of lead at a shooting range. *Bull Environ Contam Toxicol* 63:312-319.
- Cramer K, Goyer RA, Jagenburg R, et al. 1974. Renal ultrastructure, renal function, and parameters of lead toxicity in workers with different periods of lead exposure. *Br J Ind Med* 31:113-127.
- Cui S, Zhou Q, Chao L. 2007. Potential hyperaccumulation of Pb, Zn, Cu and Cd in enduring plants distributed in an old smelter, northeast China. *Environ Geol* 51(6):1043-1048.
- Cullen MR, Kayne RD, Robins JM. 1984. Endocrine and reproductive dysfunction in men associated with occupational inorganic lead intoxication. *Arch Environ Health* 39(6):431-440.
- Dallaire R, Dewailly E, Ayotte P, et al. 2014. Growth in Inuit children exposed to polychlorinated biphenyls and lead during fetal development and childhood. *Environ Res* 134:17-23. 10.1016/j.envres.2014.06.023.
- Dalpra L, Tibiletti MG, Nocera G, et al. 1983. SCE analysis in children exposed to lead emission from a smelting plant. *Mutat Res* 120:249-256.
- Danadevi K, Rozati R, Banu BS, et al. 2003. DNA damage in workers exposed to lead using comet assay. *Toxicology* 187(2):183-193.
- Davidson A, Ryman J, Sutherland CA, et al. 2014. Lead. In: Ullmann's encyclopedia of industrial chemistry. 10.1002/14356007.a15\_193.pub3.
- Davies JM. 1984a. Lung cancer mortality among workers making lead chromate and zinc chromate pigments at three English factories. *Br J Ind Med* 41:158-169.
- Davies JM. 1984b. Long term mortality study of chromate pigment workers who suffered lead poisoning. *Br J Ind Med* 41:170-178.
- Davis A, Ruby MV, Bergstrom PD. 1994. Factors controlling lead bioavailability in the Butte mining district, Montana, USA. *Environ Geochem Health* 16(3/4; 3/4):147-157.
- Davis AP, Shokouhian M, Ni S. 2001. Loading estimates of lead, copper, cadmium, and zinc in urban runoff from specific sources. *Chemosphere* 44:997-1009.
- Davis JM, Svendsgaard DJ. 1990. Nerve conduction velocity and lead: A critical review and meta-analysis. *Advances in neurobehavioral toxicology: Appl Environ Occup Health* 353-376.



## 8. REFERENCES

- Davis MA, Gilbert-Diamond D, Karagas MR, et al. 2014. A dietary-wide association study (DWAS) of environmental metal exposure in US children and adults. *PLoS ONE* 9(9):e104768. 10.1371/journal.pone.0104768.
- Davis S, Mirick DK. 2006. Soil ingestion in children and adults in the same family. *J Expo Sci Environ Epidemiol* 16(1):63-75. 10.1038/sj.jea.7500438.
- de Burbure C, Buchet JP, Leroyer A, et al. 2006. Renal and neurologic effects of cadmium, lead, mercury, and arsenic in children: Evidence of early effects and multiple interactions at environmental exposure levels. *Environ Health Perspect* 114(4):584-590. 10.1289/ehp.8202.
- De Kort W, Zwennis W. 1988. Blood lead and blood pressure: Some implications for the situation in The Netherlands. *Environ Health Perspect* 78:67-70.
- De Kort WLAM, Verschoor MA, Wibowo AAE, et al. 1987. Occupational exposure to lead and blood pressure: A study in 105 workers. *Am J Ind Med* 11:145-156.
- de Restrepo HG, Sicard D, Torres MM. 2000. DNA damage and repair in cells of lead exposed people. *Am J Ind Med* 38(3):330-334.
- DeJonghe W, Adams F. 1986. Biogeochemical cycling of organic lead compounds. *Adv Environ Sci Technol* 17:561-594.
- Denaix L, Semlali RM, Douay F. 2001. Dissolved and colloidal transport of Cd, Pb, and Zn in a silt loam soil affected by atmospheric industrial deposition. *Environ Pollut* 113:29-38.
- Deng H, Ye Z, Wong M. 2004. Accumulation of lead, zinc, copper and cadmium by 12 wetland plant species thriving in metal-contaminated sites in China. *Environ Pollut* 132(1):29-40.
- Denham M, Schell LM, Deane G, et al. 2005. Relationship of lead, mercury, mirex, dichlorodiphenyldichloroethylene, hexachlorobenzene, and polychlorinated biphenyls to timing of menarche among Akwesasne Mohawk girls. *Pediatrics* 115(2):e127-e134. 10.1542/peds.2004-1161.
- Den Hond E, Dhooge W, Bruckers L, et al. 2011. Internal exposure to pollutants and sexual maturation in Flemish adolescents. *J Expo Sci Environ Epidemiol* 21(3):224-233. 10.1038/jes.2010.2.
- Den Hond E, Nawrot T, Staessen JA. 2001. Relationship between blood pressure and blood lead in NHANES III. *J Hypertens* 19(2):S57.
- Den Hond E, Nawrot T, Staessen JA. 2002. The relationship between blood pressure and blood lead in NHANES III. *J Hum Hypertens* 16:563-568.
- Desilva PE. 1981. Determination of lead in plasma and studies on its relationship to lead in erythrocytes. *Br J Ind Med* 38:209-217.
- Dewailly E, Ayotte P, Bruneau S, et al. 2001. Exposure of the Inuit population of Nunavik (Arctic Quebec) to lead and mercury. *Arch Environ Health* 56(4):350-357.
- Di Lorenzo L, Silvestroni A, Martino MG, et al. 2006. Evaluation of peripheral blood neutrophil leucocytes in lead-exposed workers. *Int Arch Occup Environ Health* 79(6):491-498. 10.1007/s00420-005-0073-4.
- Diamond GL. 1988. Biological monitoring of urine for exposure to toxic metals. In: Clarkson TW, Friberg L, Nordberg GF, et al., eds. *Biological monitoring of toxic metals*. Plenum Publishing Corp., 515-529.
- Diamond GL. 2005. Risk assessment of nephrotoxic metals. In: Tarloff J, Lash L, eds. *The toxicology of the kidney*. London: CRC Press, 1099-1132.
- Dietrich KN, Berger OG, Succop PA. 1993b. Lead exposure and the motor developmental status of urban six-year-old children in the Cincinnati prospective study. *Pediatrics* 91(2):301-307.
- Dietrich KN, Berger OG, Succop PA, et al. 1993a. The developmental consequences of low to moderate prenatal and postnatal lead exposure: Intellectual attainment in the Cincinnati Lead Study cohort following school entry. *Neurotoxicol Teratol* 15(1):37-44.
- Dietrich KN, Douglas RM, Succop PA, et al. 2001. Early exposure to lead and juvenile delinquency. *Neurotoxicol Teratol* 23(6):511-518.